## *Facility Plant List*

| Plant Name | | Proposed Facility Type | | | | | | Characteristics | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Private | | | | | Public | | | | |
| *Botanic name,* Common Name | Zone | Swale | Planter | Basin | Dry Pond | Wet Pond | Basin | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| **Herbaceous Plants** | | | | | | | | | | | |
| *Aster suspicatus*, Douglas' Aster | B | X | | X | | | | Y | N | 36" | 12" |
| *Athyrium felix-femina,* Lady Fern | B | X | | X | | | X | Y | N | 36" | 24" |
| *Blechnum spicant,* Deer Fern | B | X | | X | | | X | Y | N | 24" | 24" |
| *Bromus carinatus,* Califonia Brome Grass | A | | | X | | | X | Y | Y | 18" | 12" |
| *Bromus sitchensis,* Alaska Brome | A | | | X | | | X | Y | Y | 18" | 12" |
| *Bromus vulgaris,* Columbia Brome | A | | | X | | | X | Y | Y | 18" | 12" |
| *Camassia leichtlinii*, Camas Lily | A | X | X | X | | | | Y | N | 24" | 12" |
| *Camassia quamash*, Common Camas | A/B | X | X | X | | | X | Y | N | 24" | 12" |
| *Carex deweyanna,* Dewey Sedge | A | X | X | X | | | X | Y | Y | 36" | 12" |
| *Carex densa*, Dense Sedge | A | X | X | X | | | X | Y | Y | 24" | 12" |
| *Carex obnupta*, Slough Sedge | A | X | X | X | | | X | Y | Y | 4' | 12" |
| *Carex rupestris*, Curly Sedge | A | X | X | X | | | | N | Y | 14" | 12" |
| *Carex stipata*, Sawbeak Sedge | A | X | X | X | | | | N | N | 20" | 12" |
| *Carex testacea*, New Zealand Orange Sedge | A | X | X | X | | | X | N | Y | 24" | 12" |
| *Carex vesicaria,* Inflated Sedge | A | X | X | X | | | X | Y | N | 36" | 12" |
| *Deschampsia cespitosa*, Tufted Hair Grass | A/B | X | X | X | | | X | Y | N | 36" | 12" |
| *Eleocharis acicularis,* Needle Spike Rush | A | X | X | X | | | X | Y | Y | 30" | 12" |
| *Eleocharis ovata,* Ovate Spike Rush | A | X | X | X | | | X | Y | Y | 30" | 12" |
| *Eleocharis palustris*, Creeping Spike Rush | A | | | X | | | X | Y | Y | 30" | 12" |
| *Elymus glaucus,* Blue Wild Rye | B | X | | X | | | X | Y | Y | 24" | 12" |

## *Facility Plant List*

| Plant Name | | Proposed Facility Type | | | | | | Characteristics | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Private | | | | | Public | | | | |
| *Botanic name,* Common Name | Zone | Swale | Planter | Basin | Dry Pond | Wet Pond | Basin | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| *Festuca occidentalis,* Western Fescue Grass | A | X | | X | | | X | Y | N | 24" | 12" |
| *Festuca rubra,* Red Fescue | B | X | | X | | | X | Y | Y | 24" | 12" |
| *Glycera occidentalis,* Western Manna Grass | A | | | X | | | X | Y | Y | 18" | 12" |
| *Hebe 'Autumn Glory'*, Hebe | B | X | | X | | | | N | Y | 14" | 12" |
| *Iris douglasiana,* Douglas Iris | B | X | | X | | | X | Y | N | 18" | 12" |
| *Iris sibirica*, Siberian Iris | A | X | X | X | | | | N | N | 36" | 12" |
| *Iris tenax*, Oregon Iris | B | X | | X | | | X | Y | N | 18" | 12" |
| *Juncus balticus*, Baltic Rush | A | X | X | X | | | | N | N | 20" | 12" |
| *Juncus effusus var. pacificus*, Soft rush | A | X | X | X | | | X | Y | Y | 36" | 12" |
| *Juncus ensifolius*, Dagger-leaf Rush | A | X | X | X | | | X | N | N | 10" | 12" |
| *Juncus patens*, Spreading Rush | A | X | X | X | | | X | N | Y | 36" | 12" |
| *Juncus tenuis,* Slender Rush | A | X | X | X | | | X | Y | Y | 36" | 12" |
| *Lupinus micranthus,* Small Flowered Lupine | B | X | | X | | | X | Y | N | 18" | 12" |
| *Lupinus polyphyllus*, Large-leaved Lupine | A/B | X | | X | | | | Y | N | 36" | 12" |
| *Polystichum munitum*, Sword Fern | A/B | X | | X | | | X | Y | Y | 24" | 24" |
| *Scriptus acutus*, Hardstem Bulrush | A | X | X | X | | | | N | N | 10" | 12" |
| *Scriptus americanus,* American Bulrush | A | X | X | X | | | X | Y | Y | 30" | 12" |
| *Scriptus mlcrocarpus,* Small Fruited Bulrush | A | | | X | | | X | Y | Y | 24" | 12" |
| *Scriptus validus*, Softstem Bulrush | A | X | X | X | | | | N | N | 5' | 12" |
| *Sedum oreganum*, Oregon Stonecrop | B | X | | | | | | Y | Y | 4" | 12" |
| *Sisyrinchium californicum*, Yellow-eyed Grass | A/B | X | X | X | | | | N | Y | 6" | 12" |
| *Veronica liwanensis*, Speedwell | A | X | | X | | | | N | N | 2" | 12" |

**Large Shrubs and Small Trees**

## *Facility Plant List*

| Plant Name | | Proposed Facility Type | | | | | | Characteristics | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Private | | | | | Public | | | | |
| *Botanic name,* Common Name | Zone | Swale | Planter | Basin | Dry Pond | Wet Pond | Basin | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| *Acer circinatum*, Vine Maple | A/B | X | X | X | | | X | Y | N | 15' | 10' |
| *Amelanchier alnifolia*, Western Serviceberry | B | X | | X | | | X | Y | N | 20' | 10' |
| *Ceanothus sanguineus,* Oregon Redstem Ceanothus | B | X | | X | | | X | Y | Y | 7' | 4' |
| *Holodiscus discolor, Oceanspray* | B | X | | X | | | X | Y | N | 6' | 4' |
| *Lonicera involucrata*, Black Twinberry | B | X | | X | | | X | Y | N | 5' | 4' |
| *Oemleria cerasiformis,* Indian Plum | B | X | | X | | | X | Y | N | 6' | 4' |
| *Philadelphu lewisii,* Wild Mock Orange | B | X | | X | | | X | Y | N | 6' | 4' |
| *Ribes sanguineum*, Red-Flowering Current | B | X | | X | | | X | Y | N | 8' | 4' |
| *Rubus parviflorus*, Thimbleberry | B | X | | X | | | X | Y | N | 8' | 4' |
| *Rubus spectabilis*, Salmonberry | A | X | X | X | | | X | Y | N | 10' | 4' |
| *Salix fluviatalis,* Columbia Willow | A/B | X | X | X | | | X | N | N | 13' | 6' |
| *Salix lucida var. 'Lasiandra'*, Pacific Willow | A | X | X | X | | | X | Y | N | 13' | 6' |
| *Salix stichensis*, Sitka Willow | A | X | X | X | | | X | Y | N | 20' | 6' |
| *Sambucus cerulea*, Blue Elderberry | B | X | | X | | | X | Y | N | 10' | 10' |
| *Sambucus racemosa,* Red Elderberry | B | X | | X | | | X | Y | N | 10' | 10' |
| *Spriaea douglasii*, Douglas Spiraea | A/B | X | X | X | | | X | Y | N | 7' | 4' |
| *Viburnum edule,* Highbush Cranberry | A/B | X | X | X | | | X | Y | N | 6' | 4' |
| **Shrubs** | | | | | | | | | | | |
| *Ceanothus velutinus,* Snowbrush | B | X | | X | | | X | Y | Y | 4' | 3' |
| *Cornus sericea*, Red-twig Dogwood | A | X | X | X | | | X | Y | N | 6' | 4' |

## *Facility Plant List*

| Plant Name | | Proposed Facility Type | | | | | | Characteristics | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Private | | | | | Public | | | | |
| *Botanic name,* Common Name | Zone | Swale | Planter | Basin | Dry Pond | Wet Pond | Basin | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| *Cornus sericea 'Kelseyii',* Kelsey Dogwood | B | X | | X | | | X | N | N | 24" | 24" |
| *Gaultheria shallon*, Salal | B | X | | X | | | X | Y | Y | 24" | 24" |
| *Mahonia aquifolium*, Oregon Grape | B | X | | X | | | X | Y | Y | 5' | 3' |
| *Mahonia nervosa*, Dull Oregon Grape | B | X | | X | | | X | Y | Y | 24" | 24" |
| *Physocarpus capitatus*, Pacific Ninebark | A/B | X | X | X | | | | Y | N | 10' | 3' |
| *Rosa gymnocarpa,* Baldhip Rose | B | X | | X | | | X | Y | N | 3' | 3' |
| *Rosa nutkana*, Nootka Rose | B | X | | X | | | X | Y | N | 8' | 3' |
| *Rosa pisocarpa*, Swamp Rose | A/B | X | X | X | | | X | Y | N | 8' | 3' |
| *Symphoricarpos alba*, Common Snowberry | B | X | | X | | | X | Y | N | 6' | 3' |
| **Groundcovers** | | | | | | | | | | | |
| *Arctostaphylos uva-ursi*, Kinnickinnick | B | X | | X | | | | Y | Y | 6" | 12" |
| *Fragaria chiloensis*, Coastal Strawberry | B | X | | X | | | | Y | Y | 6" | 12" |
| *Fragaria vesca*, Woodland Strawberry | B | X | | X | | | | N | Y | 10" | 12" |
| *Fragaria virginiana*, Wild Strawberry | B | X | | X | | | | N | Y | 10" | 12" |
| *Helictotrichon sempervirens*, Blue Oat Grass | B | X | | X | | | | N | Y | 24" | 12" |
| *Mahonia repens* Creeping Oregon Grape | B | X | | X | | | | Y | Y | 12" | 12" |
| **Trees** | | | | | | | | | | | |
| Abies grandis, Grand Fir | B | | | X | | | X | Y | Y | 150' | |
| *Acer griseum*, Paperbark Maple | B | X | | X | | | | N | N | 30' | |
| *Acer macrophyllum,* Big Leaf Maple | B | X | | X | | | X | Y | Y | 60' | |
| *Alnus rubra*, Red Alder | A | X | | X | | | X | Y | N | 80' | |

## *Facility Plant List*

| Plant Name | | Proposed Facility Type | | | | | | Characteristics | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Private | | | | | Public | | | | |
| *Botanic name,* Common Name | Zone | Swale | Planter | Basin | Dry Pond | Wet Pond | Basin | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| *Arbutus menziesii,* Madrone | B | | | X | | | X | Y | N | 35' | |
| *Crataegus douglasii*, Black Hawthorn | A | X | | X | | | X | Y | N | 40' | 10' |
| *Fraxinus latifolia*, Oregon Ash | A/B | X | | X | | | X | Y | N | 30' | |
| *Malus fusca*, Pacific Crabapple | A | X | X | X | | | X | Y | N | 30' | 10' |
| *Metasequoia glyptostroboides*, Dawn Redwood | B | | | X | | | X | N | N | 80' | |
| *Populus tremuloides*, Quaking Aspen | A | | | X | | | X | Y | N | 40' | |
| *Prunus emarginata var. mollis,* Bitter Cherry | A/B | X | X | X | | | X | Y | N | 50' | |
| *Pseudotsuga menziesii*, Douglas Fir | B | X | | X | | | X | Y | Y | 200' | |
| *Quercus garryana*, Oregon White Oak | B | X | | X | | | X | Y | N | 100' | |
| *Rhamnus purshiana*, Cascara | A/B | X | X | X | | | X | Y | N | 30' | |
| *Salix hookeriana,* Hooker's Willow | A/B | X | X | X | | | X | Y | N | 15' | |
| *Salix scouleriana,* Scouler's Willow | A/B | X | X | X | | | X | Y | N | 15' | |
| *Thuja plicata*, Western Red Cedar | A | | | X | | | X | Y | Y | 150' | |
| *Tsuga hetrophylla,* Western Hemlock | A | X | | X | | | X | Y | Y | 125' | |
| *Tsuga mertensiana*, Mountain Hemlock | B | X | | X | | | X | Y | Y | 125' | |

## *Ecoroof Plant List*

| Plant Name | | Characteristics | | | | | |
|---|---|---|---|---|---|---|---|
| *Botanic name,* Common Name | Zone | NW Native | Evergreen | Potential Hgt. | O.C. Spacing | Full Sun | Partial Shade |
| **Sedums and Succulents** | | | | | | | |
| *Malephora crocea var. purpureo crocea 'Tequila Sunrise',* Coppery Mesemb | C | N | Y | 10" | | X | |
| *Sedum 'Autumn Joy'* | C | N | N | 24" | | X | |
| *Sedum acre*, Biting Stonecrop | C | N | Y | 2" | | X | |
| *Sedum album*, White Stonecrop | C | N | Y | 3" | | X | |
| *Sedum divergens*, Pacific Stonecrop | C | N | Y | 3" | | X | |
| *Sedum hispanicum*, Spanish Stonecrop | C | N | Y | 3" | | X | |
| *Sedum kamtschaticum*, Kirin-so | C | N | N | 6" | | X | |
| *Sedum oreganum*, Oregon Stonecrop | C | Y | Y | 4" | | X | X |
| *Sedum sexangular*, Tasteless Stonecrop | C | N | Y | 4" | | X | |
| *Sedum spathulifolium*, Stonecrop | C | Y | Y | 4" | | X | |
| *Sedum spurium*, Two-row Stonecrop | C | N | Y | 6" | | X | X |
| *Sempervivum tectorum*, Hens and Chicks | C | N | Y | 6" | | X | |
| **Herbaceous Plants** | | | | | | | |
| Achillea millefolium, Common Yarrow | C | N | N | 36" | | X | |
| *Achillea tomentosa*, Wooly Yarrow | C | N | N | 8" | | X | |
| *Arenaria montana*, Sandwort | C | N | N | 4" | | X | |
| *Artemesia 'Silver Mound'*, Artemesia | C | N | N | 12" | | X | |
| *Aurinia saxatilis*, 'Compacta' | C | N | N | 6" | | X | |
| *Castilleja foliosa*, Indian Paintbrush | C | Y | N | 10" | | X | |
| *Dianthus ssp.* | C | N | N | 12" | | X | X |

## *Ecoroof Plant List*

| Plant Name | | Characteristics | | | | | |
|---|---|---|---|---|---|---|---|
| *Botanic name,* Common Name | Zone | NW Native | Evergreen | Potential Hgt. | O.C. Spacing | Full Sun | Partial Shade |
| *Erigeron discoideus*, Fleabane | C | N | N | 12" | | X | X |
| *Festuca glauca*, Blue Fescue | C | N | Y | 12" | | X | X |
| *Fragaria chiloensis*, Coastal Strawberry | C | Y | Y | 10" | | X | X |
| *Fragaria virginiana*, Wild Strawberry | C | Y | Y | 10" | | X | X |
| *Gaillardia aristata*, Birds-eye gilia | C | N | N | 20" | | X | X |
| *Gazania linearis 'CO Gold'*, Gazania | C | N | N | 6" | | X | |
| *Gilia capitata*, Blue Thimble Flower | C | Y | N | 12" | | X | |
| *Koelaria macrantha*, June Grass | C | N | N | 24" | | X | X |
| *Linaria reticulate*, Purplenet Toadflax | C | N | N | 20" | | X | |
| *Lobularia maritima*, Sweet Alyssum | C | N | N | 12" | | X | |
| *Polystichum munitum*, Sword Fern | C | Y | Y | 24" | | X | X |
| *Potentilla nepalensis*, Nepal Cinquefoil | C | N | N | 14" | | X | X |
| *Potentilla neumanniana*, Cinquefoil | C | N | N | 14" | | X | |
| *Thymus serphyllum*, Creeping Thyme | C | N | N | 3" | | X | |
| *Veronica liwanensis*, Speedwell | C | N | N | 2" | | X | X |
| **Shrubs and Small Trees** | | | | | | | |
| *Amalanchier alnifolia*, Saskatoon Serviceberry | D | Y | N | 20' | | X | |
| *Berberis thunbergii*, Japanese Barberry | D | N | N | 4' | | X | |
| *Gaultheria shallon*, Salal | D | Y | Y | 24" | | X | X |

## *Ecoroof Plant List*

| Plant Name | | Characteristics | | | | | |
|---|---|---|---|---|---|---|---|
| *Botanic name,* Common Name | Zone | NW Native | Evergreen | Potential Hgt. | O.C. Spacing | Full Sun | Partial Shade |
| *Lavandula angustifolia 'Hidcote'*, Dwarf English Lavander | D | N | Y | 30" | | X | |
| *Mahonia aquifolium*, Oregon Grape | D | Y | Y | 5' | | X | X |
| *Mahonia nervosa*, Dull Oregon Grape | D | Y | Y | 24" | | X | X |
| *Mahonia repens*, Creeping Oregon Grape | D | Y | Y | 12" | | X | X |
| *Nanadina domestica*, Heavenly Bamboo | D | N | N | 4' | | X | X |
| *Ribes sanguineum*, Red-Flowering Current | D | Y | N | 12' | | X | X |
| *Rosa nutkana*, Nootka Rose | D | Y | N | 10' | | X | |
| *Symphoricarpos mollis*, Creeping Snowberry | D | Y | N | 18" | | X | X |
| *Thymus vulgaris*, Common Thyme | D | N | Y | 12" | | X | X |

## *Greenstreet Plant List*

| Plant Name | | Facility Type | | | Characteristics | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Public | | | | | | | |
| *Botanic name,* Common Name | Zone | Swale | Curb Extension | Planter | NW Native | Evergreen | Potential Hgt. | O.C. Spacing | Under Powerlines |
| **Herbaceous Plants** | | | | | | | | | |
| *Camassia leichtlini,* Great Camas | A/B | X | X | X | Y | N | 24" | 12" | |
| *Camassia quamash*, Common Camas | A/B | X | X | X | Y | N | 24" | 12" | |
| *Carex densa*, Dense Sedge | A | X | X | X | Y | Y | 24" | 12" | |
| *Carex obnupta*, Slough Sedge | A | X | X | X | Y | Y | 4' | 12" | |
| *Carex stipata*, Sawbeak Sedge | A | X | X | X | N | N | 20" | 12" | |
| *Carex testacea*, New Zealand Orange Sedge | A | X | X | X | N | Y | 24" | 12" | |
| *Deschampsia cespitosa*, Tufted Hair Grass | A/B | X | X | X | Y | N | 36" | 12" | |
| *Iris douglasiana,* Douglas Iris | B | X | X | | Y | N | 18" | 12" | |
| *Iris tenax*, Oregon Iris | B | X | X | | Y | N | 18" | 12" | |
| *Juncus patens*, Spreading Rush | A | X | X | X | N | Y | 36" | 12" | |
| *Polystichum munitum*, Sword Fern | A/B | X | X | | Y | Y | 24" | 24" | |
| **Shrubs** | | | | | | | | | |
| *Cornus sericea 'Kelseyii',* Kelsey Dogwood | A/B | X | X | X | N | N | 24" | 24" | |
| *Euonymous japonicus 'Microphyllus'* Boxleaf Evergreen Euonymus | B | X | X | | N | Y | 24" | 24" | |
| *Gaultheria shallon*, Salal | B | X | X | | Y | Y | 24" | 24" | |
| *Lavandula angustifolia 'Hidcote Blue',* Dwarf Lavander | B | X | X | | N | N | 24" | 24" | |
| *Mahonia nervosa*, Dull Oregon Grape | B | X | X | | Y | Y | 24" | 24" | |
| *Spirarea betulifolia,* Birchleaf Spiraea | A/B | X | X | X | Y | N | 24" | 24" | |

## *Greenstreet Plant List*

| Plant Name | | Facility Type | | | Characteristics | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Public | | | | | | | |
| *Botanic name,* Common Name | Zone | Swale | Curb Extension | Planter | NW Native | Evergreen | Potential Hgt. | O.C. Spacing | Under Powerlines |
| *Spiraea densiflora*, Sub-alpine Spiraea | A/B | X | X | X | Y | N | 24" | 24" | |
| *Rosmarinus officinalis 'Huntington Blue Carpet',* Creeping Rosemary | B | X | X | | N | N | 12" | 24" | |
| *Viburnum opulus 'Nanum',* Dwarf European Cranberry | B | X | X | | N | N | 24" | 24" | |
| **Groundcovers** | | | | | | | | | |
| *Arctostapylos uva-ursi*, Kinnickinnick | B | X | X | | Y | Y | 6" | 12" | |
| *Fragaria chiloensis*, Coastal Strawberry | B | X | X | | Y | Y | 6" | 12" | |
| *Fragaria vesca*, Woodland Strawberry | B | X | X | | Y | Y | 6" | 12" | |
| *Fragaria virginiana*, Wild Strawberry | B | X | X | | N | Y | 10" | 12" | |
| *Helictotrichon sempervirens*, Blue Oat Grass | B | X | X | | N | Y | 24" | 12" | |
| *Mahonia repens* Creeping Oregon Grape | B | X | X | | Y | Y | 12" | 12" | |
| **Street Trees** | | | | | | | | | |
| *Betula jacquemontii*, Jacquemontii Birch | A/B | X | X | X | N | N | 60' | | N |
| *Carpinus caroliniana*, American Hornbeam | A/B | X | X | X | N | N | 30' | | Y |
| *Celtis occidentalis*, Hackberry | A/B | X | X | X | N | N | 50' | | N |
| *Fraxinus pennsylvanica 'Johnson'*, Leprechaun Ash | A/B | X | X | X | N | N | 30' | | Y |
| *Gleditsia triacanthos 'Impcole'*, Imperial Honeylocust | A/B | X | X | X | N | N | 30' | | Y |
| *Gleditsia triacanthos 'Skycole'*, Skyline Honeylocust | A/B | X | X | X | N | N | 70' | | N |

## *Greenstreet Plant List*

| Plant Name | | Facility Type | | | Characteristics | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Public | | | | | | | |
| *Botanic name,* Common Name | Zone | Swale | Curb Extension | Planter | NW Native | Evergreen | Potential Hgt. | O.C. Spacing | Under Powerlines |
| *Koelreuteria paniculata*, Goldenrain Tree | A/B | X | X | X | N | N | 30' | | Y |
| *Nyssa sylvatica*, Black Tupelo | A | X | X | X | N | N | 50' | | N |
| *Prunus virginiana 'Canada Red'*, Canada Red Chokecherry | A/B | X | X | X | N | N | 25' | | Y |
| *Quercus shumardii*, Shumard Oak | A/B | X | X | X | N | N | 70' | | N |
| *Rhamnus purshiana*, Cascara | A/B | X | X | X | Y | N | 30' | | Y |

## *Pond Plant List*

| Plant Name | Planting Zone | | | Characteristics | | | |
|---|---|---|---|---|---|---|---|
| *Botanic name,* Common Name | Wet to Saturated | Moist to Dry | Dry/Upland | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| **Herbaceous Plants** | | | | | | | |
| *Alisma plantago-aquatica,* Water Plantain | X | | | Y | N | 24" | 12" |
| *Alopecurus geniculatus,* Water Foxtail | | X | | Y | Y | 18" | 12" |
| *Aster suspicatus*, Douglas' Aster | X | X | | Y | N | 36" | 12" |
| *Bidens cernua,* Nodding Beggerticks | | X | | Y | N | 24" | 12" |
| *Blechnum spicant,* Deer Fern | X | X | | Y | N | 24" | 24" |
| *Bromus sitchensis,* Alaska Brome | | X | X | Y | Y | 18" | 12" |
| *Camassia quamash*, Common Camas | | X | | Y | N | 24" | 12" |
| *Carex deweyanna,* Dewey Sedge | X | X | | Y | Y | 36" | 12" |
| *Carex obnupta*, Slough Sedge | X | | | Y | Y | 4' | 12" |
| *Deschampsia cespitosa*, Tufted Hair Grass | | X | | Y | N | 36" | 12" |
| *Eleocharis ovata,* Ovate Spike Rush | X | | | Y | Y | 30" | 12" |
| *Eleocharis palustris*, Creeping Spike Rush | X | | | Y | Y | 30" | 12" |
| *Elymus glaucus,* Blue Wild Rye | | X | | Y | Y | 24" | 12" |
| *Glycera occidentalis,* Western Manna Grass | X | X | | Y | Y | 18" | 12" |
| *Lemna minor,* Common Lesser Duckweed | X | | | | | | |
| *Juncus effusus var. pacificus*, Soft rush | X | X | | Y | Y | 36" | 12" |
| *Juncus ensifolius*, Dagger-leaf Rush | X | X | | Y | Y | 24" | 12" |
| *Juncus oxymeris,* Pointed Rush | X | X | | Y | Y | 24" | 12" |

## *Pond Plant List*

| Plant Name | Planting Zone | | | Characteristics | | | |
|---|---|---|---|---|---|---|---|
| *Botanic name,* Common Name | Wet to Saturated | Moist to Dry | Dry/Upland | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| *Juncus patens*, Spreading Rush | X | X | | N | Y | 36" | 12" |
| *Juncus tenuis,* Slender Rush | X | X | | Y | Y | 36" | 12" |
| *Lupinus polyphyllus*, Large-leaved Lupine | | X | | Y | N | 36" | 12" |
| *Myosotis laxa,* Small-flowered Forget-Me-Not | X | | | Y | N | 18" | 12" |
| *Polystichum munitum*, Sword Fern | X | X | | Y | Y | 24" | 24" |
| *Sagittaria latifolia,* Wapato | X | | | Y | N | 24" | 12" |
| *Potamogeton natans, Floating-leafed Pondweed* | X | | | Y | Y | 18" | 12" |
| *Scriptus acutus*, Hardstem Bulrush | X | | | N | N | 10" | 12" |
| *Scriptus mlcrocarpus,* Small Fruited Bulrush | | X | | Y | Y | 24" | 12" |
| *Sisyrinchium idahoense* Blue-eyed Grass | | X | | N | Y | 6" | 12" |
| *Sparganium emersum,* Narrowleaf Bur-reed | X | | | Y | N | 24" | 12" |
| *Veronica liwanensis*, Speedwell | X | X | | N | N | 2" | 12" |
| *Viola palustris,* Marsh Violet | X | X | | Y | N | 6" | 6" |
| **Large Shrubs and Small Trees** | | | | | | | |
| *Acer circinatum*, Vine Maple | X | X | | Y | N | 15' | 10' |
| *Amelanchier alnifolia*, Western Serviceberry | | | X | Y | N | 20' | 10' |
| *Holodiscus discolor,* Oceanspray | | | X | Y | N | 6' | 4' |
| *Lonicera involucrata*, Black Twinberry | | | X | Y | N | 5' | 4' |
| *Oemleria cerasiformis,* Indian Plum | | X | X | Y | N | 6' | 4' |
| *Philadelphu lewisii,* Wild Mock Orange | | | X | Y | N | 6' | 4' |

## ***Pond Plant List***

| Plant Name | Planting Zone | | | Characteristics | | | |
|---|---|---|---|---|---|---|---|
| *Botanic name,* Common Name | Wet to Saturated | Moist to Dry | Dry/Upland | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| *Ribes sanguineum*, Red-Flowering Current | | | X | Y | N | 8' | 4' |
| *Rubus parviflorus*, Thimbleberry | | X | | Y | N | 8' | 4' |
| *Rubus spectabilis*, Salmonberry | X | X | | Y | N | 10' | 4' |
| *Salix fluviatalis,* Columbia Willow | X | X | | N | N | 13' | 6' |
| *Salix lucida var. 'Lasiandra'*, Pacific Willow | X | X | | Y | N | 13' | 6' |
| *Salix stichensis*, Sitka Willow | X | X | | Y | N | 20' | 6' |
| *Sambucus racemosa,* Red Elderberry | | X | | Y | N | 10' | 10' |
| *Spriaea douglasii*, Douglas Spiraea | | X | | Y | N | 7' | 4' |
| *Viburnum edule,* Highbush Cranberry | | X | | Y | N | 6' | 4' |
| **Shrubs** | | | | | | | |
| *Cornus sericea*, Red-twig Dogwood | X | X | | Y | N | 6' | 4' |
| *Fragaria vesca*, Woodland Strawberry | | X | X | N | Y | 10" | 12" |
| *Fragaria virginiana*, Wild Strawberry | | X | X | N | Y | 10" | 12" |
| *Mahonia aquifolium*, Oregon Grape | | X | X | Y | Y | 5' | 3' |
| *Mahonia nervosa*, Dull Oregon Grape | | X | | Y | Y | 24" | 24" |
| *Physocarpus capitatus*, Pacific Ninebark | X | | | Y | N | 6' | 3' |
| *Rosa gymnocarpa,* Baldhip Rose | X | | | Y | N | 3' | 3' |
| *Rosa nutkana*, Nootka Rose | | X | | Y | N | 8' | 3' |
| *Rosa pisocarpa*, Swamp Rose | X | | | Y | N | 8' | 3' |

## ***Pond Plant List***

| **Plant Name** | **Planting Zone** | | | **Characteristics** | | | |
|---|---|---|---|---|---|---|---|
| *Botanic name,* Common Name | Wet to Saturated | Moist to Dry | Dry/Upland | NW Native | Evergreen | Potential Hgt. | O.C. Spacing |
| *Spiraea betulifolia,* Birchleaf Spiraea | | X | | Y | N | 24" | 24" |
| *Symphoricarpus alba,* Snowberry | | X | | Y | N | 3' | 3' |
| **Trees** | | | | | | | |
| *Abies grandis*, Grand Fir | | X | | Y | Y | 150' | |
| *Acer macrophyllum,* Big Leaf Maple | | X | | Y | Y | 60' | |
| *Alnus rubra*, Red Alder | X | X | | Y | N | 80' | |
| *Arbutus menziesii,* Madrone | | | X | Y | N | 35' | |
| *Cornus nuttalii,* Western flowering Dogwood | | X | X | Y | N | 20' | |
| *Crataegus douglasii*, Black Hawthorn | X | | | Y | N | 40' | |
| *Fraxinus latifolia*, Oregon Ash | X | X | | Y | N | 30' | |
| *Malus fusca*, Pacific Crabapple | X | X | | Y | N | 30' | |
| *Pinus ponderosa,* Ponderosa Pine | | | X | Y | Y | 70' | |
| *Pinus monticola,* Western White Pine | | X | X | Y | Y | 90' | |
| *Prunus emarginata var. mollis,* Bitter Cherry | X | | | Y | N | 50' | |
| *Pseudotsuga menziesii*, Douglas Fir | | X | | Y | Y | 200' | |
| *Quercus garryana*, Oregon White Oak | | X | | Y | N | 100' | |
| *Rhamnus purshiana*, Cascara | X | | | Y | N | 30' | |
| *Salix hookeriana,* Hooker's Willow | X | X | | Y | N | 15' | |
| *Salix scouleriana,* Scouler's Willow | X | X | | Y | N | 15' | |
| *Thuja plicata*, Western Red Cedar | X | X | | Y | Y | 150' | |