

Department of Environmental Quality Industrial Stormwater Permits Tier I Report Form

Instructions: Fill out this form if stormwater sampling results show an exceedance of any statewide benchmark(s), sector specific benchmark(s), or reference concentration(s) for impairment pollutants identified in the permit assignment letter. If you need additional space to answer the questions below, please attach additional sheet(s). The form must be filled out within 30 days of receiving analytical results. If no changes to the SWPCP are required or for benchmark exceedances, please retain this form onsite.

Submit Tier I report no later than 60 calendar days after receiving monitoring results for a sample that exceeds an impairment reference concentration.

Date Form Prepared:	_
Facility Name:	File Number #:
County:	SIC Code(s):
Prepared By:	Phone Number:
E-mail Address:	_
Form is being filled out in response to: Statewide Benchmark Exceedance (list ar	nalyte(s)):
Sector Specific Benchmark Exceedance (list analytes(s)):
Impairment Pollutant Reference Concentr	ration Exceedance (list analyte(s)):
Date Sampling Occurred:	_
Date Lab Results Received:	_
Describe the result(s) of the investigation of the e	levated pollutant levels:

Page 1 of 2 Tier I Form 11/2018

Describe the corrective action(s) you will take to address the benchmark exceedence(s):
Data como discondina (a) consolato la consolato la consolato la
Date corrective action(s) completed or expected to be completed:
Are SWPCP revisions necessary? If "Yes", please describe revisions below:
•
Please submit the revised pages of the SWPCP to DEQ or Agent, including a schedule for implementing the control measures.

Page 2 of 2 Tier I Form 11/2018