



CITY OF

PORTLAND, OREGON

OFFICE OF NEIGHBORHOOD INVOLVEMENT

AMANDA FRITZ, COMMISSIONER
Amalia Alarcón de Morris, Bureau Director
Noise Control Program
1221 SW 4th Avenue, Room 110
Portland, Oregon 97204

Promoting a culture of civic engagement

Noise Variance / Permit

Application #: 3879412

Applicant: NORTHWEST PORTLAND AREA INDIAN HEALTH BOARD *JOE
FUNKBONNER*
2121 SW BROADWAY SUITE 300
PORTLAND, OR 97201

Organization:

Activity: 11TH ANNUAL AMERICAN INDIAN DAY CELEBRATION

Event Location: 701 SW 6TH AVE

Date(s): Sep 23, 2016 through Sep 23, 2016

Hours: 10:00 am - 7:00 pm

Application for the above has been reviewed by the Noise Control Officer, City of Portland, and is hereby:

Approved, with the following conditions:

- A. The Applicant is permitted to use a public address system for speeches, announcements, and for amplified performances from 10:00 a.m. to 7:00 p.m.
- B. The Applicant will work to keep any louder amplified performances between 11:30 a.m. and 1:30 p.m. if at all possible, in order to operate under the normal hours for amplified events at the Square.
- C. Amplification shall cease at 7:00 p.m. SHARP.
- D. Noise levels shall not exceed 68 dBA (decibels), with occasional peaks to 73 dBA maximum.
- E. Measurements shall be made across Yamhill Street on the opposite side from the square.
- F. A log of the sound readings from the event shall be recorded with a sound level meter at least every 30 minutes and will be reported back to the Noise Control Office, (503) 823-7350, within one week after the event.
- G. Sound level will be reduced upon request from any impacted neighbor, including neighboring businesses.

To the Applicant:

1. Carry this document with you during the activity. This is not a permit to make more noise than is minimally necessary for your needs.
2. Violation of the conditions of this variance constitutes grounds for revocation of the variance, and denial of future applications, and may also result in the issuance of citation(s) for violations of City Code.
3. **If a Police or Noise Control Officer should appear, his/her instructions will supersede this variance and take precedence.**

Date:

August 23 2016


Paul van Orden, Noise Control Officer