



Noise Variance / Permit

Application #: 4064797

Applicant: LAURELWOOD PUBLIC HOUSE AND BREWERY *DESIREE RISCOL*
5115 NE SANDY BLVD
PORTLAND, OR 97213

Organization: LAURELWOOD PUBLIC HOUSE

Activity: BREW RUN WITH LIVE MUSIC

Event Location: 5115 NE SANDY BLVD

Date(s): Aug 12, 2017 through Aug 12, 2017

Hours: 10:00 a.m. - 3:00 p.m.

Application for the above has been reviewed by the Noise Control Officer, City of Portland, and is hereby:

Approved, with the following conditions:

- Speakers are to face away from the closest residential locations.
- Amplification shall not be audible further than a block from the source of the noise.
- Sound levels will be reduced upon request.
- Amplification is to cease at 3:00 p.m. SHARP.
- Applicant will supply notification of the event all neighbors within a one and a half block radius at least one week prior to the event. Notification will include a phone number that neighbors can call to reach the Applicant to discuss questions before the event and to report concerns of excessive noise during the event. Notice should not simply include the residents who live right on that block, but is intended to reach other neighbors who are impacted by the request for a noise variance.
- Applicant will notify the Noise Office at (503) 823-7350 of any complaints they receive. The Applicant will keep a record of how they responded to concerns raised by the community in order to report their actions back to the Noise Control Office.

To the Applicant:

- Carry this document with you during the activity. This is not a permit to make more noise than is minimally necessary for your needs.
- Violation of the conditions of this variance constitutes grounds for revocation of the variance, and denial of future applications, and may also result in the issuance of citation(s) for violations of City Code.
- If a Police or Noise Control Officer should appear, his/her instructions will supersede this variance and take precedence.**

Date:

August 8, 2017

Paul van Orden
Paul van Orden, Noise Control Officer