


SEPTIC SYSTEM/CESPOOL
 DECOMMISSIONING
 Call Inspector #842 BUREAU
 Foundation excavation
 On Done Permit
 W/R #422 4530

18-223057-R5


REGISTERED ARCHITECT
 1445-B2

57



FRONT ELEVATION
 SCALE: 1/4" = 1'-0"


FRONT WALL:
 WALL AREA: 243.0 sq ft
 GLASS AREA: 33.4 sq ft
 (8% MIN. REQUIRED)



REAR ELEVATION
 SCALE: 1/4" = 1'-0"


COPYRIGHT © 2018, THORGERSON DESIGNS

BAY WINDOW WALL
 WALL AREA: 182.9 sq ft
 GLASS AREA: 11.1 sq ft
 PERCENTAGE: 5.9%
 (8% MIN. REQUIRED)



LEFT SIDE ELEVATION
 SCALE: 1/4" = 1'-0"


SIDEWALL AREA
 WALL AREA: 182.9 sq ft
 GLASS AREA: 11.1 sq ft
 PERCENTAGE: 5.9%
 (8% MIN. REQUIRED)



ROOF PLAN
 SCALE: 1/4" = 1'-0"

BAY WINDOW WALL
 WALL AREA: 182.9 sq ft
 GLASS AREA: 11.1 sq ft
 PERCENTAGE: 5.9%
 (8% MIN. REQUIRED)

- 2" x 10" JOIST
COMPOSITION ROOFING
- 2" x 10" SIPR BALKS INC.
- 4" O.D. FRASCA GUTTER
- 3/4" x 4" SIPR TRIM AT
WINDOWS AND DOORS
- WINDUP TRIM ABOVE
4" O.D. GUTTERING
- 3/4" x 4" SIPR BELLY BAND



RIGHT SIDE ELEVATION
 SCALE: 1/4" = 1'-0"

BAY WALL
 WALL AREA: 182.9 sq ft
 GLASS AREA: 11.1 sq ft
 PERCENTAGE: 5.9%
 (8% MIN. REQUIRED)

SIDEWALL AREA
 WALL AREA: 182.9 sq ft
 GLASS AREA: 11.1 sq ft
 PERCENTAGE: 5.9%
 (8% MIN. REQUIRED)

